

Vastortho.com



Veterinary Implants **CATALOG**

Manufacturer & Supplier of High Quality, Inventive, Low Cost

Veterinary Implants & Instruments

Orthopedic Implants & Instruments

for more information visit our website

www.vastortho.com



Contents

Bone Plates	5 - 16
Clamps	18
Toggle Pins / Suture Buttons	19
Bone Nails	20 - 21
Bone Screws	22 - 26
Pins & Wires	27 - 29
Instruments (Individual)	34 - 80
Instruments Set	82 - 123
Screws Boxes	125 - 129

Contents

Locking Cuttable Plates	5
1.5 / 2.0 / 2.4 / 2.7 / 3.5 mm	
Locking Cuttable T Plates	6
2.0 / 2.4 / 2.7 / 3.5 mm	
Locking Supracondylar Plates	7
2.0 / 2.4 / 2.7 / 3.5 mm	
Locking TPLO Plates	8
2.4 / 2.7 / 3.5 mm	
Locking Compression Plates	9
2.0 / 2.4 / 2.7 / 3.5 / 5 mm	
Locking Double T Plates	10
1.5 / 2.0 / 2.4 / 2.7 / 3.5 mm	
Locking T Plates 2 Head Holes	11
2.0 / 2.4 / 2.7 / 3.5 mm	
Locking T Plates Clover Leaf	12
2.0 / 2.4 / 2.7 / 3.5 mm	
Locking Pancarpal Arthrodesis Plates	13
2/2.4 2.4/2.7 2.7/3.5 mm	
Locking Pantarsal Arthrodesis Plates	14
2/2.7 2.7/3.5 mm	
Locking Acetabular Plates	15
2.0 / 2.4 / 2.7 / 3.5 mm	
Dynamic Compression Plates	16
2.0 / 2.4 / 2.7 / 3.5 / 4.5 mm	

External Fixator	18
Mini Small Large	
Toggle Pins / Suture Buttons	19
3 / 3.5 / 4 mm	
Veterinary Nails Straight	20
6 / 7 / 8 mm	
Veterinary Nails Angled	21
7 / 8 / 9 mm	
Locking Screws	22
1.5 / 2.0 / 2.4 / 2.7 / 3.5 / 5 mm	
Cortical Screws	23
2.0 / 2.4 / 2.7 / 3.5 / 4.5 mm	
Locking Cancellous Screws	24
3.5 / 4 / 5 mm	
Cannulated Screws	25
2.7 / 3.5 / 5 mm	
PolyAxial Screws	26
2 / 2.4 / 2.7 / 3.5 / 4.5 / 5.5 mm	
Steinmann Pins	27
1 mm to 8 mm	
K Wires	28
0.8 mm to 6 mm	
Drill Bits	29
1 mm to 5 mm	

Locking Cuttable Plates

1.5 mm Locking Cuttable Plates

2 mm Locking Cuttable Plates

2.4 mm Locking Cuttable Plates


2.7 mm Locking Cuttable Plates

3.5 mm Locking Cuttable Plates

Each Plate has 20 holes

Plate can cut according to required length

available in Titanium



PROFILE

Items	1.5 mm Plate	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2.5	2.5	3
Width	4	5	6	7	9
Hole Spacing	5	6	7	9	11
Screw	1.5 mm Locking	2 mm Locking	2.4 mm Locking	2.7 mm Locking	3.5 mm Locking

CODES

Size (mm)	Holes	Length (mm)	TI (codes)
1.5	20	100	LCPS15
2	20	120	LCPS20
2.4	20	140	LCPS24
2.7	20	180	LCPS27
3.5	20	220	LCPS35

Locking Cuttable T Plates

2 mm Locking Cuttable T Plates

2.4 mm Locking Cuttable T Plates

2.7 mm Locking Cuttable T Plates

3.5 mm Locking Cuttable T Plates

Each Plate has 7 holes

Plate can cut according to required length

available in Titanium



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	2	2.5	2.5	3
Width	6	7	8	10
Total Length	47	55	62	77
Screw	2 mm Locking	2.4 mm Locking	2.7 mm Locking	3.5 mm Locking

CODES

Size (mm)	Holes	Length (mm)	TI (codes)
2	7	47	LCTP20
2.4	7	55	LCTP24
2.7	7	62	LCTP27
3.5	7	77	LCTP35


Locking Supracondylar Plates

2 mm Locking Supracondylar Plates
2.4 mm Locking Supracondylar Plates

2.7 mm Locking Supracondylar Plates
3.5 mm Locking Supracondylar Plates

Left & Right Side

available in Titanium



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2	2.5
Width	6	7	8	10
Hole Spacing	8	9	11	13
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous

CODES

	Left Codes				Right Codes			
Holes	2 mm	2.4 mm	2.7 mm	3.5 mm	2 mm	2.4 mm	2.7 mm	3.5 mm
4	LSP01L	LSP06L	LSP011L	LSP016L	LSP01R	LSP06R	LSP011R	LSP016R
5	LSP02L	LSP07L	LSP012L	LSP017L	LSP02R	LSP07R	LSP012R	LSP017R
6	LSP03L	LSP08L	LSP013L	LSP018L	LSP03R	LSP08R	LSP013R	LSP018R
7	LSP04L	LSP09L	LSP014L	LSP019L	LSP04R	LSP09R	LSP014R	LSP019R
8	LSP05L	LSP10L	LSP015L	LSP020L	LSP05R	LSP10R	LSP015R	LSP020R

Locking TPLO Plates

2.4 mm Locking TPLO Plate

2.7 mm Locking TPLO Plate

3.5 mm Locking TPLO Plate

Left & Right Side

available in Titanium



PROFILE

Items	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate	3.5 mm Broad Plate
Thickness	2.5	2.5	3.5	3.5
Width	7	8	10	13
Total Length	50/58	55/64	67/77	75
Screw	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous

CODES

Holes	Left Codes			Right Codes		
	2.4 mm	2.7 mm	3.5 mm	2.4 mm	2.7 mm	3.5 mm
3	TPLO1L	TPLO3L	TPLO5L	TPLO1R	TPLO3R	TPLO5R
4	TPLO2L	TPLO4L	TPLO6L	TPLO2R	TPLO4R	TPLO6R

Locking Compression Plates

2 mm Locking Compression Plates

2.4 mm Locking Compression Plates

2.7 mm Locking Compression Plates

3.5 mm Locking Compression Plates

5 mm Locking Narrow Compression Plates

5 mm Locking Broad Compression Plates

available in Titanium & SS 316L



HOLES

4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18

PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate	5 mm Narrow Plate	5 mm Broad Plate
Thickness	2	2.5	2.5	3.5	4.5	6
Width	6	7	9	11	13.5	17.5
Hole Spacing	8	9	11	13	18	18
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous	5 mm Locking 4.5 mm Cortical 5 mm Cancellous	5 mm Locking 4.5 mm Cortical 5 mm Cancellous

Locking Double T Plates

1.5 mm Locking Double T Plate

2.0 mm Locking Double T Plate

2.4 mm Locking Double T Plate

2.7 mm Locking Double T Plate

3.5 mm Locking Double T Plate

Each Plate has 20 holes

One side three head holes and other side two head holes.

Plate can cut according to required length

available in Titanium



PROFILE

Items	1.5 mm Plate	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2.5	2.5	3
Width	4	6	6.5	7	9
Hole Spacing	4	6	6.5	7	9
Screw	1.5 mm Locking	2 mm Locking	2.4 mm Locking	2.7 mm Locking	3.5 mm Locking

CODES

Size (mm)	Holes	Length (mm)	TI (codes)
1.5	20	130	LDTP15
2	20	155	LDTP20
2.4	20	170	LDTP24
2.7	20	185	LDTP27
3.5	20	235	LDTP35

Locking T Plates 2 Head Holes

2 mm Locking T Plates, 2 Head Holes
2.4 mm Locking T Plates, 2 Head Holes

2.7 mm Locking T Plates, 2 Head Holes
3.5 mm Locking T Plates, 2 Head Holes

available in Titanium



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2	2.5
Width	6	7	8	10
Hole Spacing	8	10	11	13
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical

CODES


Holes	2 mm	2.4 mm	2.7 mm	3.5 mm
3	LTP2H01	LTP2H06	LTP2H11	LTP2H16
4	LTP2H02	LTP2H07	LTP2H12	LTP2H17
5	LTP2H03	LTP2H08	LTP2H13	LTP2H18
6	LTP2H04	LTP2H09	LTP2H14	LTP2H19
8	LTP2H05	LTP2H10	LTP2H15	LTP2H20

Locking T Plates Clover Leaf

2 mm Locking T Plates Clover Leaf
2.4 mm Locking T Plates Clover Leaf

2.7 mm Locking T Plates Clover Leaf
3.5 mm Locking T Plates Clover Leaf

available in Titanium



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2	2.5
Width	6	7	8	10
Hole Spacing	8	9	11	13
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous


CODES

Holes	2 mm	2.4 mm	2.7 mm	3.5 mm
3	LTPCL01	LTPCL06	LTPCL11	LTPCL16
4	LTPCL02	LTPCL07	LTPCL12	LTPCL17
5	LTPCL03	LTPCL08	LTPCL13	LTPCL18
6	LTPCL04	LTPCL09	LTPCL14	LTPCL19
8	LTPCL05	LTPCL10	LTPCL15	LTPCL20

Locking Pancarpal Arthrodesis Plates

- 2/2.4 mm Locking Pancarpal Arthrodesis Plates
- 2.4/2.7 mm Locking Pancarpal Arthrodesis Plates
- 2.7/3.5 mm Locking Pancarpal Arthrodesis Plates

available in Titanium & SS 316L



CODES | PROFILE

Size (mm)	Thickness (mm)	Holes	Length (mm)	Codes
2/2.4	2.5	9	90	LPAP1
2/2.4	2.5	11	97	LPAP2
2.4/2.7	2.5	9	97	LPAP3
2.4/2.7	2.5	11	115	LPAP4
2.7/3.5	3	9	110	LPAP5
2.7/3.5	3	11	120	LPAP6

Locking Pantarsal Arthrodesis Plates

- 2/2.7 Locking Pantarsal Arthrodesis Plates, Length 90 mm
- 2.7/3.5 Locking Pantarsal Arthrodesis Plates, Length 120 mm

Left & Right Side

available in Titanium



CODES | PROFILE

Size	Thickness (mm)	Direction	Length (mm)	TI (codes)
2/2.7 mm	2	Left	90	LPAPA1L
2/2.7 mm	2	Right	90	LPAPA1R
2.7/3.5 mm	2.5	Left	120	LPAPA2L
2.7/3.5 mm	2.5	Right	120	LPAPA2R

Locking Acetabular Plates

2 mm Locking Acetabular Plates
2.4 mm Locking Acetabular Plates
2.7 mm Locking Acetabular Plates
3.5 mm Locking Acetabular Plates

available in Titanium



CODES | PROFILE

Size	Holes	thickness x width x length	Codes
2 mm	4	2 x 4 x 28 mm	LAP20
2.4 mm	6	2.5 x 5 x 38 mm	LAP24
2.7 mm	6	2.5 x 7 x 52 mm	LAP27
3.5 mm	6	3 x 10 x 60 mm	LAP35

Dynamic Compression Plates

2 mm Dynamic Compression Plates
2.4 mm Dynamic Compression Plates
2.7 mm Dynamic Compression Plates

3.5 mm Dynamic Compression Plates
4.5 mm Narrow Dynamic Compression Plates
4.5 mm Broad Dynamic Compression Plates

available in Titanium & SS 316L



HOLES

4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18

PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate	4.5 mm Narrow Plate	4.5 mm Broad Plate
Thickness	2	2.5	2.5	3.5	4	5
Width	6	7	8	10	12	16
Hole Spacing	6	7	8	12	16	16
Centre Hole Spacing	8	10	12	16	25	25
Screw	2 mm cortical	2.4 mm cortical	2.7 mm cortical	3.5 mm cortical	4.5 mm cortical	4.5 mm cortical

NOTES

External Fixator

Clamps



PROFILE

Size	Connecting Rod Dia (mm)	Pin Size (mm)
Mini	3	1.5 1.8
Small	3.5	2.5 3.0
Large	3.5	3.2 3.5



Connecting Rod



DIA 3 mm | 3.5 mm

LENGTH 100 mm | 125 mm | 150 mm | 200 mm | 250 mm | 300 mm

Threaded Pin



DIA
1.5 mm | 1.8mm | 2.5 mm | 3.0 mm | 3.2 mm | 3.5 mm

LENGTH
80 mm | 100 mm | 125 mm | 150 mm | 200 mm | 300 mm

Toggle Pins / Suture Buttons

Toggle Pins

available in Titanium



Size (mm)	Hole Dia (mm)	Length (mm)	TI (codes)
3	1.2	10	TGP1
3.5	1.5	15	TGP2
4	2	20	TGP3

Suture Buttons (ACL Endo Button)

available in Titanium



Thickness : 2 mm
Width : 6 mm
length : 10 mm
Hole dia : 2.5 mm




Thickness : 2 mm
Width : 4 mm
length : 10 mm
Hole dia : 1.5 mm



Thickness : 2 mm
Width : 5 mm
length : 16 mm
First & last hole dia : 1.5 mm
Two middle hole dia : 2 mm

Veterinary Nails Straight



6/ 7/ 8 mm Veterinary Nails Straight

Nail Length 250 mm

Nail can cut according to required length

3.4 mm Screws are used

available in Titanium & SS 316L

3.4 mm Nail Screws



Veterinary Nails Angled



7/ 8/9 mm Veterinary Nails Angled

Nail Length

140 / 160 / 180 / 200 / 220 / 240/ mm

3.4 mm Screws are used

available in Titanium & SS 316L

3.4 mm Nail Screws



Locking Screws

2 / 2.4 / 2.7 / 3.5 / 5 mm Locking Screws

Any length can be manufacture

available in Titanium & SS 316L

2 mm Locking Screws



2.4 mm Locking Screws



2.7 mm Locking Screws



3.5 mm Locking Screws



5 mm Locking Screws



Cortical Screws

2 / 2.4 / 2.7 / 3.5 / 4.5 mm Cortical Screws

Any length can be manufacture

available in Titanium & SS 316L

2 mm Cortical Screws



2.4 mm Cortical Screws



2.7 mm Cortical Screws



3.5 mm Cortical Screws



4.5 mm Cortical Screws



Locking Cancellous Screws

3.5 / 4 / 5 / mm Locking Cancellous Screws


Any length can be manufacture

available in Titanium & SS 316L

3.5 mm Locking Cancellous Screws



4 mm Locking Cancellous Screws



5 mm Locking Cancellous Screws, Part Thread



5 mm Locking Cancellous Screws, Full Thread



Cannulated Screws

2.7 / 3.5 / 5 / mm Cannulated Screws


Any length can be manufacture

available in Titanium & SS 316L

2.7 mm Cannulated Screws



3.5 mm Cannulated Screws



5 mm Cannulated Screws



PolyAxial Screws

2 / 2.7 / 3.5 / 4.5 / 5.5 mm Spine Screws

available in Titanium

Length (mm): 14 mm - 60 mm

MonoAxial Screws



MonoAxial Reduction Screws



PolyAxial Screws



PolyAxial Reduction Screws



Crosslink Connector / Transverse Connector



Length (mm) : 80 | 90 | 100 | 120 | 150 | 200

Crosslink Connector / Transverse Connector



Length (mm) : 80 | 100 | 120 | 140 | 160 | 180 | 200 | 250 | 300

Steinmann Pins

V155 Steinmann Pins

Steinmann Pins - Single Trocar



Steinmann Pins - Single Thread



Steinmann Pins - Thread & Trocar



Sizes

Dia (mm): 1 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8

Length (mm): 100 to 300

V156 Steinmann Pins Positive Profile



Sizes

Shaft Dia/ Thread Dia (mm): 2 - 3 | 3 - 4 | 4 - 5 | 4.5 - 5.5 | 5 - 6 | 5.5 - 6.5 | 6 - 7 | 6.5 - 8

Length (mm): 100 to 300

V157 Steinmann Pins Centre Thread (Denham Pin)



Sizes

Dia (mm): 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8

Length (mm): 100 to 300

K Wires

Single Trocar



Double Trocar



One Side Thread



Fully Thread



V158 K Wires

Sizes
Dia (mm) : 0.8 to 6
Length (mm) : 80 to 300

Drill Bits / Wires

V159 Drill Bits

Cannulated Drill Bit




Cannulated Drill Bit, Quick Coupling



Drill Bit



Drill Bit, Quick Coupling



Sizes

Dia (mm): 1 mm - 5 mm

Length (mm): 60 to 250

V160 Suture Wire / Cerclage Wire



Sizes

16 SWG (1.60 mm)

18 SWG (1.25 mm)

20 SWG (0.90 mm)

22 SWG (0.70 mm)


24 SWG (0.55 mm)

26 SWG (0.45 mm)

28 SWG (0.35 mm)

30 SWG (0.30 mm)

V161 Gigli Saw Wire



Contents

CODE	INSTRUMENT NAME	PAGE NO.
V001	Screw Driver - Torque	34
V002	Screw Driver - Fibre Handle	34
V003	Screw Driver - Holding Sleeve	34
V004	Screw Driver - With Sleeve	35
V005	Screw Driver - Cannulated	35
V006	Screw Driver - Coupling Shaft	36
V007	Screw Driver Coupling Handle, SS	36
V008	Screw Driver Coupling Handle, Plastic	36
V009	Screw Driver - PolyAxial Screws	36
V010	Bone Tap T Handle	37
V011	Bone Tap Coupling Shaft	37
V012	Countersink Coupling Shaft	37
V013	Countersink T Handle	37
V014	Condylar Bone holding Forceps Ball Tip Ratchet Lock	38
V015	Condylar Bone holding Forceps Ball Tip Speed Lock	38
V016	Bone Holding Forceps Serrated Jaw Ratchet Lock	38
V017	Kern/Lane Bone Holding Forceps	38
V018	Self Centering Bone Holding Forceps Richat Lock	39
V019	Self Centering Bone Holding Forceps Speed Lock	39
V020	Hey Groves Bone Holding Forceps	39
V021	Patella Bone Holding Forceps 3 Prong	40
V022	Patella Bone Holding Forceps 4 Prong	40
V023	Lowman Bone Clamp	40
V024	Burns Bone Holding Forceps Richat Lock	40
V025	Burns Bone Holding Forceps Speed Lock	41
V026	Bone and Plate Holding Forceps for Mini Plates	41
V027	Bone and Plate Holding Forceps - Type 1	41
V028	Bone and Plate Holding Forceps - Type 2	42
V029	Fergusson (Fibula) Bone holding Forceps	42
V030	Plate and Bone Holding Forcep with Sliding	42
V031	Bone Nibbler Forceps Double Action Straight/Curved	43
V032	Bone Nibbler Forceps Double Action Angular	43
V033	Bone Nibbler Forceps Single Action Straight/Curved	43
V034	Reduction Forceps Pointed Jaw Richat Lock	44
V035	Reduction Forceps Pointed Jaw Speed Lock	44
V036	Reduction Forceps Ball Tip Speed Lock	44

V037	Reduction Forceps Serrated Jaw Ratchet Lock	45
V038	Reduction Forceps Serrated Jaw Speed Lock	45
V039	Bone Cutting Forceps Double Action Straight	46
V040	Bone Cutting Forceps Double Action Curved	46
V041	Tudor Edwards Rib Shear	46
V042	Kerrison Bone Punch	47
V043	Meniscal knife	47
V044	Osteotome Straight/Curved Fibre Handle	48
V045	Osteotome Straight/Curved SS Handle	48
V046	Bone Gouge Fiber Handle	48
V047	Bone Gouge SS Handle	48
V048	Capener Bone Gouge	48
V049	Chisel Bone Gouge	48
V050	Hohmann Retractor	49
V051	Volkman Retractor	49
V052	Gelpi Retractor	50
V053	Stifle Distractor	50
V054	Lamina Spreaders	50
V055	Mastoid Retractor Self Retaining	51
V056	Mastoid Retractor Self Retaining - Extended	51
V057	Round Retractor Self Retaining	51
V058	Senn Miller (Cat Paw) Retractor	52
V059	Langenbeck Retractor	52
V060	Cobra Retractor	52
V061	Dura Retractor	52
V062	McDonald Retractor Double Ended	52
V063	Charnley Pin Retractor and T Handle	53
V064	Nerve Root Retractor	53
V065	Periosteal Elevator SS Handle	54
V066	Periosteal Elevator Fiber Handle	54
V067	Periosteal Elevator Set of 4 pieces	54
V068	Cobbs Elevator	54
V069	Bristow Elevator	54
V070	Bone Lever	55
V071	Bone Lever Serrated jaw	55
V072	Penfield Dissector Set	55
V073	Bone File Flat	56
V074	Bone File Flat Extended	56
V075	Bone File Round	56
V076	Bone File Round Extended	56

V077	Bone Curette Double Ended	57
V078	Bone Curette Fiber Handle	57
V079	Bone Curette SS Handle	57
V080	Ring Curette 15 inches	57
V081	Bone Hook	58
V082	Bone Hook T Handle	58
V083	Sharp Hook	58
V084	Mensical Probe	58
V085	Hammer SS Face	59
V086	Hammer Nylon and SS Face	59
V087	Hammer Nylon Face both Side	59
V088	Wire Cutter TC tip, Golden Handle	60
V089	Wire Cutter, TC tip	60
V090	Wire/Pin/Rod Cutter, TC tip	60
V091	Wire Cutter, Plier & Bender (3 in 1)	61
V092	Wire Cutter, Round Face	61
V093	Cerclage Wire Twister	62
V094	K Wire Bender	62
V095	Wire Tighten Forceps	62
V096	Wire Tighten Forceps Extended	62
V097	Gigli saw handle set of 2	63
V098	K Wire Box	63
V099	Wire Passer Fibre Handle	63
VI00	Wire Passer SS	63
VI01	Mini Plates Bender	64
VI02	Mini and Small Plates Bender Set of 2	64
VI03	Large Plates Bender Set of 2	64
VI04	Large Plates Bender Round Handle Set of 2	64
VI05	Rod Bender	65
VI06	Plates Bender Roller	65
VI07	Plate Bending Press Bench	65
VI08	Plate Bending Template	65
VI09	Mayo Suture Scissors Straight	66
VI10	Mayo Suture Scissors Curved	66
VI11	Metzenbaum Scissors Straight	66
VI12	Metzenbaum Scissors Curved	67
VI13	Iris Scissors Straight	67
VI14	Iris Scissors Curved	67
VI15	Mayo Needle Holder	68
VI16	Olsen Needle Holder and Scissors-Tungsten Carbide Tip	68

VI 17	Meniscus Holding Forceps	68
VI 18	Allis Tissue Forceps	69
VI 19	Artery (Mosquito) Forcep Straight	69
VI 20	Artery (Mosquito) Forcep Curved	69
VI 21	kocher Forceps	70
VI 22	Tissue (Dissecting) Forceps Toothed	70
VI 23	Tissue (Dissecting) Forceps Serrated	70
VI 24	Backhaus Towel Clamps	70
VI 25	Jones Towel Clamp	70
VI 26	BP Handle	71
VI 27	Tissues & Disc Forcep	71
VI 28	Drill & Tap Sleeve Combined / Double Drill Guide / Universal Drill Guide	72
VI 29	Drill Guide Neutral and Load	72
VI 30	Threaded Drill Guide	72
VI 31	Drill Bit Sleeve	72
VI 32	Tap Sleeve	72
VI 33	Depth Measuring Gauge	73
VI 34	Depth Gauge Cannulated	73
VI 35	Depth Gauge Type 2	73
VI 36	Diameter Measuring Scale	73
VI 37	Screws and Diameter Measuring Scale	73
VI 38	Steinmann Pin Introducer - T Handle with Chuck & Key	74
VI 39	Universal Hand Drill with Chuck and key	74
VI 40	K Wire Introducer	74
VI 41	Drill Chuck & Key	75
VI 42	Schanz Pin Introducer	75
VI 43	Steinmann Pin Holder	75
VI 44	Pin Punch	75
VI 45	Broken Screw Removal Hollow Mill Shaft and Handle	76
VI 46	Trephine T Handle	76
VI 47	Broken Screw Removal T Handle	76
VI 48	Broken Screw Head Removal Ratchet Lock	77
VI 49	Broken Screw Head Removal Speed Lock	77
VI 50	Broken Screw Removal Conical	77
VI 51	Screw Holding Forceps	77
VI 52	Bandage Cutting Scissor	78
VI 53	Esmarch Bandage	78
VI 54	Screws Washer Hanger	78
VI 55	Oscillation Saw Machine Battery Operated (cordless)	79
VI 56	Drill Machine Battery Operated (cordless)	80

Screws Drivers

V001 Screw Driver - Torque



Available for
2.7 / 3.5 / 5 Locking Screws

V002 Screw Driver - Fibre Handle



Available for
2 / 2.4 / 2.7 / 3.5 / 5 Locking Screws
1.5 / 2 / 2.4 / 2.7 / 3.5 / 4.5 Cortical Screws
2.7 / 3.5 / 5 / Cancellous Screws

V003 Screw Driver - Holding Sleeve



Available for
2.4 / 2.7 / 3.5 / 5 Locking Screws
2 / 2.4 / 2.7 / 3.5 / 4.5 Cortical Screws
2.7 / 3.5 / 5 / Cancellous Screws

Screws Drivers

V004 Screw Driver - With Sleeve



Available for

1.5 / 2 Locking Screws

1.5 / 2 Cortical Screws

V005 Screw Driver - Cannulated



Available for

2.7 / 3.5 / 5 Cannulated Screws

Screws Drivers

V006 Screw Driver - Coupling Shaft



Available for

2 / 2.4 / 2.7 / 3.5 / 5 Locking Screws

1.5 / 2 / 2.4 / 2.7 / 3.5 / 4.5 Cortical Screws

3.5 / 4 / 5 / 6.5 Cancellous Screws

V007 Screw Driver Coupling Handle, SS



V008 Screw Driver Coupling Handle, Plastic



V009 Screw Driver - PolyAxial Screws



Available for : 2 / 2.4 / 2.7 / 3.5 / 4.5 / 5.5 / 6.5 PolyAxial Screws



V010 Bone Tap T Handle

Available for

Cortical Screws: 1.5 | 2 | 2.4 | 2.7 | 3.5 | 4.5

Cancellous Screws: 3.5 | 5

Cannulated Screws: 2.7 | 3.5 | 5

V011 Bone Tap Coupling Shaft



Available for

Cortical Screws: 1.5 | 2 | 2.4 | 2.7 | 3.5 | 4.5

Cancellous Screws: 3.5 | 4 | 4.5 | 6.5 | 7 | 7.3

Cannulated Screws: 2.5 | 3.5 | 4 | 4.5 | 6.5 | 7 | 7.3

V012 Countersink Coupling Shaft




Available for

Cortical Screws: 2.4 | 2.7 | 3.5 | 4.5

Cancellous Screws: 2.7 | 3.5 | 4.5

Cannulated Screws: 2.7 | 3.5 | 4.5

V013 Countersink T Handle



Available for

Cortical Screws: 2.4 | 2.7 | 3.5 | 4.5

Cancellous Screws: 3.5 | 4.5

Cannulated Screws: 2.7 | 3.5 | 4.5

Bone Holding Forcep



V014 Condylar Bone holding Forceps Ball Tip Ratchet Lock

Sizes (inches)
8 | 10 | 12



V015 Condylar Bone holding Forceps Ball Tip Speed Lock

Sizes (inches)
8 | 10 | 12



V016 Bone Holding Forceps Serrated Jaw Ratchet Lock

Sizes (inches)
5.9 | 6.7 | 8.3 | 9.5 | 11

Sizes (mm)
150 | 170 | 210 | 240 | 280

V017 Kern/Lane Bone Holding Forceps

Sizes (inches)
6 | 8 | 10 | 12



Bone Holding Forcep

V018 Self Centering Bone Holding Forceps Richat Lock

Sizes (inches)


6 | 7 | 8 | 9 | 10 | 11 | 12



V019 Self Centering Bone Holding Forceps Speed Lock

Sizes (inches)

4 | 6 | 8 | 10 | 12



V020 Hey Groves Bone Holding Forceps

Sizes (inches)

6 | 8 | 10 | 12



Bone Holding Forcep

V021 Patella Bone Holding Forceps 3 Prong

Length (inches)

7 | 8 | 9.5 | 10.5



V022 Patella Bone Holding Forceps 4 Prong

Length (inches)

9.5 | 10.5



V023 Lowman Bone Clamp



V024 Burns Bone Holding Forceps Richat Lock



Bone Holding Forcep

V025 Burns Bone Holding Forceps Speed Lock



V026 Bone and Plate Holding Forceps for Mini Plates



Length (inches) : 6

V027 Bone and Plate Holding Forceps - Type 1



Length (inches) : 8 | 9

Bone Holding Forcep

V028 Bone and Plate Holding Forceps - Type 2



V029 Fergusson (Fibula) Bone holding Forceps

Length : 8 inches



V030 Plate and Bone Holding Forcep with Sliding

Length (inches) : 9.5 | 11



Bone Nibbler

V031 Bone Nibbler Forceps Double Action Straight/Curved



V032 Bone Nibbler Forceps Double Action Angular



V033 Bone Nibbler Forceps Single Action Straight/Curved



Reduction Forcep

V034 Reduction Forceps Pointed Jaw Richat Lock

Length (inches)



V035 Reduction Forceps Pointed Jaw Speed Lock

Length (inches)



V036 Reduction Forceps Ball Tip
Speed Lock

Length (inches)

6 | 8.5 | 9.5 | 12



Reduction Forcep

V037 Reduction Forceps Serrated Jaw Ratchet Lock

Length (inches)
6 | 7 | 8.5 | 9.5 | 11



V038 Reduction Forceps Serrated Jaw Speed Lock

Length (inches)
6 | 7 | 8.5 | 9.5 | 11



Bone Cutting Forceps

V039 Bone Cutting Forceps Double Action Straight

Size: 7.5 inches



V040 Bone Cutting Forceps Double Action Curved

Size: 7.5 inches



V041 Tudor Edwards Rib Shear



Bone Cutting Forceps

V042 Kerrison Bone Punch



Available Sizes for
Up Cutting

- 45 mm x 2 mm
- 45 mm x 3 mm
- 45 mm x 4 mm
- 45 mm x 5 mm

- 90 mm x 2 mm
- 90 mm x 3 mm
- 90 mm x 4 mm
- 90 mm x 5 mm

Available Sizes for
Down Cutting

- 45 mm x 2 mm
- 45 mm x 3 mm
- 45 mm x 4 mm
- 45 mm x 5 mm

- 90 mm x 2 mm
- 90 mm x 3 mm
- 90 mm x 4 mm
- 90 mm x 5 mm

V043 Meniscal knife



Osteotome-Gouge-Chisel

V044 Osteotome Straight/Curved Fibre Handle Length : 10 inches



Tip Sizes (mm) for Straight
5 | 10 | 15 | 20 | 25 | 30

Tip Sizes (mm) for Curved
5 | 10 | 15 | 20 | 25 | 30

V045 Osteotome Straight/Curved SS Handle Length : 8 inches



Tip Sizes (mm) for Straight
5 | 10 | 15 | 20 | 25 | 30

Tip Sizes (mm) for Curved
5 | 10 | 15 | 20 | 25 | 30

V046 Bone Gouge Fiber Handle Length : 10 inches



Tip Sizes (mm) for Straight
5 | 10 | 15 | 20 | 25 | 30

Tip Sizes (mm) for Curved
5 | 10 | 15 | 20 | 25 | 30

V047 Bone Gouge SS Handle Length: 8 inches



Tip Sizes (mm) for Straight
5 | 10 | 15 | 20 | 25 | 30

Tip Sizes (mm) for Curved
5 | 10 | 15 | 20 | 25 | 30

V048 Capener Bone Gouge Size: 10 inches Sizes (mm) for Straight
5 | 10 | 15 | 20 | 25 | 30



V049 Chisel Bone Gouge Size: 10 inches



Tip Sizes (mm) for Straight
5 | 10 | 15 | 20 | 25 | 30

Tip Sizes (mm) for Curved
5 | 10 | 15 | 20 | 25 | 30

Retractors

V050 Hohmann Retractor



Length (mm)

6 x 100 mm | 8 x 100 mm | 10 x 100 mm

6 x 150 mm | 8 x 150 mm | 10 x 150 mm | 12 x 150 mm | 15 x 150 mm

18 x 225 mm | 20 x 225 mm | 22 x 225 mm | 25 x 225 mm | 35 x 225 mm

25 x 300 mm | 30 x 300 mm | 35 x 300 mm

V051 Volkman Retractor



Sizes

1 pong | 2 pong | 3 pong | 4 pong | 5 pong

Retractors

V052 Gelpi Retractor

Length (inches)
6 | 8 | 10



V053 Stifle Distractor

Length (inches)
7 | 9



V054 Lamina Spreaders

Length (inches)
7 | 9



Retractors

V055 Mastoid Retractor Self Retaining

Length (Inches)
6 | 8 | 10



V056 Mastoid Retractor Self Retaining - Extended

Length (Inches)
6 | 8 | 10 | 12 | 14



V057 Round Retractor Self Retaining

Length (inches)
8 | 10 | 12



Retractors

V058 Senn Miller (Cat Paw) Retractor

Length : 8 inches



V059 Langenbeck Retractor

Sizes

Small | Medium | Large | Extra Large



V060 Cobra Retractor

Length : 14 inches



V061 Dura Retractor

Angle Length : 7.5 inches



Curved Length : 7.5 inches



V062 McDonald Retractor Double Ended



Retractors

V063 Charnley Pin Retractor and T Handle



V064 Nerve Root Retractor



Straight



Angled 45 Degree



Angled 90 Degree

Elevators

V065 Periosteal Elevator SS Handle

Length : 8 inches


Tip Sizes (mm) : 5 | 10 | 15 | 20 | 25 | 30



V066 Periosteal Elevator Fiber Handle

Length : 8 inches

Tip Sizes (mm) : 5 | 10 | 15 | 20 | 25 | 30



V067 Periosteal Elevator Set of 4 pieces



V068 Cobbs Elevator

Length : 10 inches

Tip Sizes

Small | Medium | Large



V069 Bristow Elevator

Length : 10 inches



Levers

V070 Bone Lever



Length (inches) : 8 | 11

V071 Bone Lever Serrated jaw



Length : 9 inches

Jaw Sizes : Small | Medium | Large

V072 Penfield Dissector Set



Bone Files

V073 Bone File Flat



Length : 8 inches

End Sizes : Small | Medium | Large

V074 Bone File Flat Extended



Length (inches) : 6 | 8 | 10

V075 Bone File Round



Length : 8 inches

End Sizes : Small | Medium | Large

V076 Bone File Round Extended



End Sizes : Small | Medium | Large

Curettes

V077 Bone Curette Double Ended



Length : 9 inches

Cup Sizes : Small | Medium | Large

V078 Bone Curette Fiber Handle



Cup Sizes (mm)

3 | 4 | 5 | 6 | 9 | 12

Length : 9 inches

V079 Bone Curette SS Handle



Cup Sizes (mm)

3 | 4 | 5 | 6 | 9 | 12

Length : 15 inches

V080 Ring Curette 15 inches



Length : 15 inches

Hooks

V081 Bone Hook



Length : 10 inches

End Sizes : Small | Medium | Large

V082 Bone Hook T Handle



Length : 8 inches

End Sizes : Small | Medium | Large

V083 Sharp Hook



Length : 6 inches

V084 Mensical Probe



Mallets (Hammers)

V085 Hammer SS Face

Weight (Grams) : 250 | 350 | 500

Length : 10 inches



V086 Hammer Nylon and SS Face

Weight (Grams) : 250 | 350 | 500

Length : 10 inches



V087 Hammer Nylon Face both Side

Weight (Grams) : 250 | 350 | 500

Length : 10 inches



Wire Cutters

V088 Wire Cutter TC tip, Golden Handle

Length (inches)
9 | 12



V089 Wire Cutter, TC tip

Length (inches)
8 | 10 | 12



V090 Wire/Pin/Rod Cutter, TC tip

Length (inches)
12 | 14 | 16 | 18 |



Wire Cutters

V091 Wire Cutter, Plier & Bender (3 in 1)



Length (inches)
7 | 9 | 11

V092 Wire Cutter, Round Face



Length (inches) : 10

Wire Instruments

V093 Cerclage Wire Twister

Length : 7 inches



V094 K Wire Bender

Length : 6 inches



V095 Wire Tighten Forceps

Length : 11 inches




V096 Wire Tighten Forceps Extended

Length : 11 inches



Wire Instruments

V097 Gigli saw handle set of 2



V098 K Wire Box



Sizes (Inches)

6 | 8 | 10 | 12 | 14 | 16 | 18 | 20

V099 Wire Passer Fibre Handle



Sizes

Small | Medium | Large

V100 Wire Passer SS Size : 11 inches



Plate Benders

V101 Mini Plates Bender

Length : 12 inches




V102 Mini and Small Plates Bender Set of 2

Length : 4 inches



V103 Large Plates Bender Set of 2

Length : 10 inches



V104 Large Plates Bender Round Handle Set of 2

Length : 10.5 inches



Plate Benders

V105 Rod Bender

Length : 15 inches



V106 Plates Bender Roller

Length : 12 inches



V107 Plate Bending Press Bench



V108 Plate Bending Template

Available Sizes

Small | Medium | Large



Scissors

V109 Mayo Suture Scissors Straight

Length (inches)

6 | 8



V110 Mayo Suture Scissors Curved

Length (inches)

6 | 8



V111 Metzenbaum Scissors Straight

Length (inches)

6 | 8



Scissors

V112 Metzenbaum Scissors Curved

Length (inches)

6 | 8



V113 Iris Scissors Straight

Length (inches)

6 | 8



V114 Iris Scissors Curved

Length (inches)

6 | 8



Needle Holders

V115 Mayo Needle Holder

Length (inches)


6 | 8



V116 Olsen Needle Holder and Scissors-Tungsten Carbide Tip

Length (inches)

6 | 8



V117 Meniscus Holding Forceps

Length : 8 inches



Forceps

V118 Allis Tissue Forceps



V119 Artery (Mosquito) Forcep Straight



V120 Artery (Mosquito) Forcep Curved



Forceps

V121 Kocher Forceps

Length (inches)

6 | 8 - straight

6 | 8 - curved



V122 Tissue (Dissecting) Forceps Toothed

Length (inches): 4 | 6 | 8



V123 Tissue (Dissecting) Forceps Serrated

Length (inches): 4 | 6 | 8



V124 Backhaus Towel Clamps

Length (inches): 4 | 6



V125 Jones Towel Clamp

Length (inches): 2.5 | 3.5



Forceps

V126 BP Handle

Sizes : 3 | 4



V127 Tissues & Disc Forcep

Available Sizes for Straight (in mm)
2 | 3 | 4



Available Sizes for Upward (in mm)
2 | 3 | 4




Available Sizes for Downward (in mm)
2 | 3 | 4




Drill & Tap

V128 Drill & Tap Sleeve Combined / Double Drill Guide / Universal Drill Guide



Size (mm) : 1.5/2.0 | 2.0/2.7 | 2.5/3.5 | 3.2/4.5 | 3.2/6.5

V129 Drill Guide Neutral and Load



Available Sizes


1.5 MM Drill for 2.0 mm Screws | 2.0 MM Drill for 2.7 mm Screws
2.5 MM Drill for 3.5 mm Screws | 3.2 MM Drill for 4.5 mm Screws

V130 Threaded Drill Guide



Available for : 2 / 2.4 / 2.7 / 3.5 / 5 mm Locking Screws

V131 Drill Bit Sleeve



Available for following Drills (in mm) : 2 | 2.5 | 3 | 3.5 | 4 | 4.5

V132 Tap Sleeve



Available for following Taps (in mm)

1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 4.5

Measuring Devices

V133 Depth Measuring Gauge



30 mm Measuring




60 mm Measuring



110 mm Measuring

V134 Depth Gauge Cannulated



V135 Depth Gauge Type 2




Available Sizes

Small | Medium | Large

V136 Diameter Measuring Scale



V137 Screws and Diameter Measuring Scale



Hand Drills

V138 Steinmann Pin Introducer - T Handle with Chuck & Key



V139 Universal Hand Drill with Chuck and key



V140 KWire Introducer Size : 5.5 inches



Hand Drills

V141 Drill Chuck & Key

Available Sizes
Small | Medium | Large



V142 Schanz Pin Introducer

Length : 4 inches



V143 Steinmann Pin Holder

Length (inches)
6 | 8 | 10 | 12 | 14



V144 Pin Punch

Pin Punch, 6 mm dia, 4 inches length
Pin Punch, 6 mm dia, 5.5 inches length



Screw Removal

V145 Broken Screw Removal Hollow Mill Shaft and Handle



V146 Trephine T Handle

Length : 6 inches
Available for following Screws
2.4 | 2.7 | 3.5 | 4.5 | 5



V147 Broken Screw Removal T Handle



Screw Removal

V148 Broken Screw Head Removal Ratchet Lock



Length : 10 inches

V149 Broken Screw Head Removal Speed Lock

Length : 8 inches




V150 Broken Screw Removal Conical

Available for following Screws

2.7 | 3.5 | 4.5

Length : 6 inches



V151 Screw Holding Forceps

Length : 3 inches



Instruments

V152 Bandage Cutting Scissor

Length : 6 inches



V153 Esmarch Bandage

Sizes (inches)

3 | 4 | 6




V154 Screws Washer Hanger



Oscillation Saw

V155 Oscillation Saw Machine Battery Operated (cordless)



Battery Operated Oscillation Saw with

1 Machine | 2 Batteries | 3 Blades
1 Charger | 1 Sterilization Ring | 1 Carry Case




Drill Machine

V156 Drill Machine Battery Operated (cordless)



Drill Machine Battery Operated (cordless)


1 Machine | 2 Batteries | 1 Charger
1 Key | 1 Chuck | 1 Carry Case



Contents

INSTRUMENTS SET NAME	PAGE NO.
2.4/2.7 mm Locking Instruments Set Mini Instruments Set	82 - 87
3.5 mm Locking Instruments Set Small Instruments Set	88 - 95
4.5/5 mm Locking Instruments Set Large Instruments Set	96 - 104
Spine Instruments Set	105 - 111
Veterinary Angled Nail Instruments Set	112 - 117
Veterinary Straight Nail Instruments Set	118 - 123

2.4/2.7 mm Locking Instruments Set | Mini Instruments Set



2.4/2.7 mm Locking Instruments Set | Mini Instruments Set

S.No.	Description	QTY
1	2.4 mm Threaded Drill Guide for 1.8 mm Drill Bit	2
2	2.7 mm Threaded Drill Guide for 2 mm Drill Bit	2
3	Counter Sink Coupling Shaft	1
4	Depth Gauge for 2 / 2.4 mm Screws	1
5	Depth Gauge for 2.7 mm Screws	1
6	Double Drill Sleeve (Universal Drill Sleeve) 1.8/2.4 mm	1
7	Double Drill Sleeve (Universal Drill Sleeve) 2.0/2.7 mm	1
8	Drill Bit 1.8 x 100 mm, Quick Coupling	2
9	Drill Bit 2 x 100 mm, Quick Coupling	2
10	Drill Bit 2.4 x 100 mm, Quick Coupling	2
11	Drill Bit 2.7 x 100 mm, Quick Coupling	2
12	Hohmann Retractor 6 mm	1
13	Kirschner Wire 1.8 x 150 mm	5
14	Plate Bender	2
15	Periosteal Elevator Fiber Handle	1
16	Plate and Bone Holding Forceps Ratchet Lock-Type1	1
17	Plate and Bone Holding Forceps Ratchet Lock-Type2	1
18	Reduction Forcep Pointed Tip Ratchet Lock	1
19	Reduction Forcep Serrated Tip Ratchet Lock	1
20	Screw Driver Hexagonal, Holding Sleeve, for 2.7 mm Locking Screws	1
21	Screw Driver Torque for 2.4/2.7 mm Locking Screws	1
22	Screw Driver Quick Coupling for 2.7 mm Locking Screws	1
23	Sharp Hook	1
24	T Handle Quick Coupling	1
25	Tap for 2.4 mm Screws, Quick Coupling	1
26	Tap for 2.7 mm Screws, Quick Coupling	1
27	Graphics Aluminum Box with Silicone Fittings	1

2.4/2.7 mm Locking Instruments | Mini Instruments

2.4 mm Threaded Drill Guide for 1.8 mm Drill Bit

2.7 mm Threaded Drill Guide for 2 mm Drill Bit



Counter Sink Coupling Shaft



Depth Gauge for 2 / 2.4 mm Screws




Depth Gauge for 2.7 mm Screws



Double Drill Sleeve (Universal Drill Sleeve) 1.8/2.4 mm

Double Drill Sleeve (Universal Drill Sleeve) 2.0/2.7 mm



2.4/2.7 mm Locking Instruments | Mini Instruments

Drill Bit

Drill Bit 1.8 x 100 mm, Quick Coupling
Drill Bit 2 x 100 mm, Quick Coupling
Drill Bit 2.4 x 100 mm, Quick Coupling
Drill Bit 2.7 x 100 mm, Quick Coupling



Hohmann Retractor 6 mm



Kirschner Wire 1.8 x 150 mm



Plate Bender



Periosteal Elevator Fiber Handle



Reduction Forcep Serrated Tip Ratchet Lock



2.4/2.7 mm Locking Instruments | Mini Instruments

Plate and Bone Holding Forceps Ratchet Lock-Type1



Plate and Bone Holding Forceps Ratchet Lock-Type2



Reduction Forcep Pointed Tip Ratchet Lock



2.4/2.7 mm Locking Instruments | Mini Instruments

Screw Driver Hexagonal, Holding Sleeve, for 2.7 mm Locking Screws



Screw Driver Torque for 2.4/2.7 mm Locking Screws



Screw Driver Quick Coupling for 2.7 mm Locking Screws



Sharp Hook



T Handle Quick Coupling




Tap for 2.4 mm Screws, Quick Coupling

Tap for 2.7 mm Screws, Quick Coupling



3.5 mm Locking Instruments Set | Small Instruments Set



3.5 mm Locking Instruments Set | Small Instruments Set


S.NO.	DESCRIPTION	QTY
1	Allen Key for Dill Bit Stopper	1
2	Countersink for 3.5/4 mm Screws	1
3	Depth Gauge Measuring range upto 60 mm	1
4	Double Drill Sleeve (Universal Drill Sleeve) 2.5/3.5 mm	1
5	Double Drill Sleeve (Universal Drill Sleeve) 2.7/4.0 mm	1
6	Drill Bit 2.5 mm x 125 mm, Quick Coupling	2
7	Drill Bit 3.5 mm x 130 mm, Quick Coupling	2
8	Drill Bit 2.8 mm x 165 mm with Stopper, Quick Coupling	2
9	Drill Guide 3.5 mm for Neutral and Load Position	1
10	Guide Sleeve for 1.2 mm K Wires	1
11	Guide Wire Threaded Trocar 1.2 mm x 280 mm	5
12	Hohmann Retractor 12 mm	2
13	Insert Drill Sleeve 3.5/2.5 mm	1
14	Periosteal Elevator Fiber Handle 10 mm	2
15	Plate Bender	2
16	Plate Bending Template	2
17	Reduction Forcep Pointed Speed Lock 190 mm	1
18	Reduction Forcep Serrated Speed Lock 190 mm	1
19	Self Centering Bone Holding Forcep Speed Lock 190 mm	2
20	Screw Extraction T Handle for 3.5 mm Screws	1
21	Screw Holding Forceps	1
22	Screw Driver Hexagonal, Holding Sleeve, 2.5 mm Tip	1
23	Screw Driver Torque for 3.5 mm Locking Screws	1
24	Screw Driver Quick Coupling for 3.5 mm Locking & 3.5 mm Cortical Screws	1
25	Sharp Hook	1
26	T Handle Quick Coupling	1
27	Tap T Handle for 3.5 mm Cortical Screws	1
28	Tap T Handle for 4 mm Cancellous Screws	1
29	Threaded Drill Guide 3.5 for Drill Bit 2.8 mm	3
30	Trephine T Handle	1
31	Graphics Aluminium Box with Silicone Fittings	1

3.5 mm Locking Instruments | Small Instruments

Allen Key for Dill Bit Stopper




Countersink for 3.5/4 mm Screws




Depth Gauge Measuring range upto 60 mm



Double Drill Sleeve (Universal Drill Sleeve) 2.5/3.5 mm




Double Drill Sleeve (Universal Drill Sleeve) 2.7/4.0 mm



Drill Bit 2.5 mm x 125 mm, Quick Coupling

Drill Bit 3.5 mm x 130 mm, Quick Coupling




3.5 mm Locking Instruments | Small Instruments

Drill Bit 2.8 mm x 165 mm with Stopper, Quick Coupling



Drill Guide 3.5 mm for Neutral and Load Position



Guide Sleeve for 1.2 mm K Wires



Guide Wire Threaded Trocar 1.2 mm x 280 mm



Hohmann Retractor 12 mm



Insert Drill Sleeve 3.5/2.5 mm



3.5 mm Locking Instruments | Small Instruments

Periosteal Elevator Fiber Handle 10 mm



Plate Bender



Plate Bending Template



Reduction Forcep Pointed Speed Lock 190 mm



3.5 mm Locking Instruments | Small Instruments

Reduction Forcep Serrated Speed Lock 190 mm



Self Centering Bone Holding Forcep Speed Lock 190 mm



Screw Extraction T Handle for 3.5 mm Screws



3.5 mm Locking Instruments | Small Instruments

Screw Holding Forceps



Screw Driver Hexagonal, Holding Sleeve, 2.5 mm Tip, for 3.5 mm Locking Screws



Screw Driver Torque for 3.5 mm Locking Screws



Screw Driver Quick Coupling for 3.5 mm Locking & 3.5 mm Cortical Screws



Sharp Hook



T Handle Quick Coupling



3.5 mm Locking Instruments | Small Instruments

Tap T Handle for 3.5 mm Cortical Screws
Tap T Handle for 4 mm Cancellous Screws




Threaded Drill Guide 3.5 for Drill Bit 2.8 mm




Trephine T Handle



4.5/5 mm Locking Instruments Set | Large Instruments Set



4.5/5 mm Locking Instruments Set | Large Instruments Set



4.5/5 mm Locking Instruments Set | Large Instruments Set

S.No.	Description	QTY
1	Allen Key for Dill Bit Stopper	1
2	Countersink for 4.5/6.5mm Screws	1
3	Depth Gauge Measuring range upto 110 mm	1
4	Double Drill Sleeve (Universal Drill Sleeve) 3.2/4.5 mm	1
5	Double Drill Sleeve (Universal Drill Sleeve) 3.2/6.5 mm	1
6	Drill Bit 3.2 mm x 130 mm Quick Coupling	2
7	Drill Bit 4.5 mm x 130 mm Quick Coupling	2
8	Drill Bit 4.3 mm x 220 mm with Stopper, Quick Coupling	2
9	Drill Guide 4.5 mm for Neutral and Load Position	1
10	Guide Sleeve for 2 mm K Wires	1
11	Guide Wire Threaded Trocar 2 mm x 280 mm	5
12	Hohmann Retractor 25 mm	2
13	Insert Drill sleeve 4.5/3.2 mm	1
14	Periosteal Elevator Fiber Handle 5 mm	1
15	Periosteal Elevator Fiber Handle 10 mm	1
16	Plate Bender	2
17	Plate Bending Template	3
18	Reduction Forcep Pointed Ratchet Lock 200 mm	1
19	Reduction Forcep Serrated Ratchet Lock 200 mm	1
20	Self Centering Bone Holding Forcep Speed Lock 250 mm	2
21	Screw Extraction T Handle for 5 mm Screws	1
22	Screw Holding Forceps	1
23	Screw Driver Hexagonal, Holding Sleeve, 3.5 mm Tip	1
24	Screw Driver Torque for 5 mm Locking Screws	1
25	Screw Driver Quick Coupling for 5 mm Locking & 4.5 mm Cortical Screws	1
26	Sharp Hook	1
27	T Handle Quick Coupling	1
28	Tap for 4.5 mm Cortical Screws, Quick Coupling	1
29	Tap for 6.5 mm Cancellous Screws, Quick Coupling	1
30	Threaded Drill Guide 5.0, for Drill Bit 4.3 mm	3
31	Trepine T Handle	1
32	Graphics Aluminum Box with Silicone Fittings	1

4.5/5 mm Locking Instruments | Large Instruments

Allen Key for Dill Bit Stopper




Countersink for 4.5/6.5mm Screws




Depth Gauge Measuring range upto 110 mm



Double Drill Sleeve (Universal Drill Sleeve) 3.2/4.5 mm




Double Drill Sleeve (Universal Drill Sleeve) 3.2/6.5 mm



Drill Bit 3.2 mm x 130 mm Quick Coupling

Drill Bit 4.5 mm x 130 mm Quick Coupling




4.5/5 mm Locking Instruments | Large Instruments

Drill Bit 4.3 mm x 220 mm with Stopper, Quick Coupling



Drill Guide 4.5 mm for Neutral and Load Position



Guide Sleeve for 2 mm K Wires



Guide Wire Threaded Trocar 2 mm x 280 mm



Hohmann Retractor 25 mm



4.5/5 mm Locking Instruments | Large Instruments

Insert Drill sleeve 4.5/3.2 mm



Periosteal Elevator Fiber Handle 5 mm



Periosteal Elevator Fiber Handle 10 mm



Plate Bender



Plate Bending Template



4.5/5 mm Locking Instruments | Large Instruments

Reduction Forcep Pointed Ratchet Lock 200 mm



Reduction Forcep Serrated Ratchet Lock 200 mm



Self Centering Bone Holding Forcep Speed Lock 250 mm



4.5/5 mm Locking Instruments | Large Instruments

Screw Extraction T Handle for 5 mm Screws



Screw Holding Forceps



Screw Driver Hexagonal, Holding Sleeve, 3.5 mm Tip



Screw Driver Torque for 5 mm Locking Screws



Screw Driver Quick Coupling for 5 mm Locking and 4.5 mm Cortical Screws



Sharp Hook




4.5/5 mm Locking Instruments | Large Instruments

T Handle Quick Coupling



Tap for 4.5 mm Cortical Screws, Quick Coupling



Tap for 6.5 mm Cancellous Screws, Quick Coupling




Threaded Drill Guide 5.0, for Drill Bit 4.3 mm




Trephine T Handle



Spine Instruments Set



Spine Instruments Set



Spine Instruments Set

S.No.	Description	QTY
1	Screw Holder (Anti-torque Sleeve)	1
2	Jig for Drill (Drill Bit Guider)	1
3	Spine Rod Holder	1
4	Spine Rod Bender	1
5	Spine Rod Compressor	1
6	Spine Distractor	1
7	Screw Driver for Offset Screw (Nut)	1
8	Screw Holder for Offset Screw (Nut)	1
9	PolyAxial Screw Driver	1
10	PolyAxial Screw Driver	1
11	Screw Holder for Offset Screw (Nut)	1
12	Spine Rod Pusher Curved	1
13	Spine Rod Pusher Straight	2
14	Pedicle Sound	2
15	Drill Bit	1
16	Pedicle Screw Extractor	1
17	Pedicle Awl Straight with Stopper	1
18	Probe Straight	1
19	Probe Curved	1
20	Plate Bender	1
21	Plate Bender	1
22	Graphics Aluminum Box with Silicone Fittings	1

Spine Instruments

Screw Holder (Anti-torque Sleeve)



Jig for Drill (Drill Bit Guider)



Spine Distractor



Spine Instruments

Spine Rod Bender



Spine Rod Compressor



Spine Rod Holder



Spine Instruments

Screw Driver for Offset Screw (Nut)




Screw Holder for Offset Screw (Nut)



PolyAxial Screw Driver 2 Piece



Screw Holder for Offset Screw (Nut)



Spine Rod Pusher Curved



Spine Rod Pusher Straight



Pedicle Sound



Spine Instruments

Drill Bit



Pedicle Screw Extractor



Pedicle Awl Straight with Stopper



Probe Straight




Probe Curved



Plate Bender 2 Piece



Veterinary Angled Nail Instruments Set



Veterinary Angled Nail Instruments Set



S.No.	Description	QTY
1	Jig for Nail	1
2	Conical Bolt for Jig	1
3	Protection Sleeve	1
4	Trocar	1
5	Drill Sleeve	1
6	Depth Gauge measuring upto 110 mm	1
7	Screw Driver	1
8	Bone Awl Cannulated	1
9	Spanner	1
10	Rod Handle	1
11	Rod	1
12	Ram	1
13	2 mm Guide Wire	2
14	Drill Bit, 2.7 mm x 225 mm	2
15	Reamer T handle Cannulated 6 mm	1
16	Reamer T handle Cannulated 7 mm	1
17	Reamer T handle Cannulated 8 mm	1
18	Graphics Aluminum Box with Silicone Fittings	1

Veterinary Angled Nail Instruments

Jig for Nail



Conical Bolt for Jig



Protection Sleeve



Trocar



Drill Sleeve



Veterinary Angled Nail Instruments

Depth Gauge measuring upto 110 mm



Screw Driver



Bone Awl Cannulated



Spanner



Veterinary Angled Nail Instruments

Rod Handle



Rod



Ram



2 mm Guide Wire



Veterinary Angled Nail Instruments

Drill Bit, 2.7 mm x 225 mm



Reamer T handle Cannulated 6 mm




Reamer T handle Cannulated 7 mm




Reamer T handle Cannulated 8 mm



Veterinary Straight Nail Instruments Set



Veterinary Straight Nail Instruments Set



S.No.	Description	QTY
1	Jig for Nail	1
2	Conical Bolt for Jig	1
3	Protection Sleeve	1
4	Trocar	1
5	Drill Sleeve	1
6	Depth Gauge measuring upto 110 mm	1
7	Screw Driver	1
8	Bone Awl Cannulated	1
9	Spanner	1
10	Rod Handle	1
11	Rod	1
12	Ram	1
13	2 mm Guide Wire	2
14	Drill Bit, 2.7 mm x 225 mm	2
15	Reamer T handle Cannulated 6 mm	1
16	Reamer T handle Cannulated 7 mm	1
17	Reamer T handle Cannulated 8 mm	1
18	Graphics Aluminum Box with Silicone Fittings	1

Veterinary Straight Nail Instruments

Jig for Nail



Conical Bolt for Jig



Protection Sleeve



Trocar



Drill Sleeve



Veterinary Straight Nail Instruments

Depth Gauge measuring upto 110 mm



Screw Driver



Bone Awl Cannulated



Spanner



Veterinary Straight Nail Instruments

Rod Handle



Rod



Ram



2 mm Guide Wire



Veterinary Straight Nail Instruments

Drill Bit, 2.7 mm x 225 mm



Reamer T handle Cannulated 6 mm



Reamer T handle Cannulated 7 mm



Reamer T handle Cannulated 8 mm



SCREWS BOX

Mini Screws Box

Small Screws Box

Large Screws Box

Polyaxial Pedicle Screws Box

Cannulated Screws Box

Sterile Box

Mini Screws Box



S.NO.	DESCRIPTION	QTY
1	2 mm Locking Screws	48
2	2 mm Cortical Screws	48
3	2.4 mm Locking Screws	48
4	2.4 mm Cortical Screws	48
5	2.7 mm Locking Screws	48
6	2.7 mm Cortical Screws	48

Small Screws Box



S.NO.	DESCRIPTION	QTY
1	3.5 mm Cortical Screws	140
2	3.5 mm Locking Screws	140
3	3.5/4 mm Cancellous Screws	92

Large Screws Box



S.NO.	DESCRIPTION	QTY
1	5 mm Locking Screws	130
2	4.5 mm Cortical Screws	104
3	6.5 mm Cancellous Screws	98

Polyaxial Pedicle Screws Box



S.NO.	DESCRIPTION	QTY
1	2.0 mm Polyaxial Screws	28
2	2.7 mm Polyaxial Screws	28
3	3.5 mm Polyaxial Screws	56
4	4.5 mm Polyaxial Screws	28
5	5.5 mm Polyaxial Screws	28

Cannulated Screws Box



S.NO.	DESCRIPTION	QTY
1	2.7 mm Cannulated Screws	33
2	3.5 mm Cannulated Screws	54
3	4.0 mm Cannulated Screws	54



NOTES

Veterinary Implants **CATALOG**

Vastortho.com

Call: +91 99116 55555

WhatsApp: +91 99116 55555

Email: info@vastortho.com

Website: www.vastortho.com

Office: 104/14, B-Block, Sant Nagar
Delhi-110084, INDIA